


Gary A. Wilz; Superintendent
Karter Kleeman; H.S. Principal
Andrew Cook; Elem. Principal
Rose Hurt, Business Manager

Killdeer Public School

District No. 16

P.O. Box 579
101 High St. NW
Killdeer, ND 58640

Board of Directors
Larry Lundberg, President
Scott Bice
Levi Bang
Pamla Kukla
Melissa Benz



(701) 764-5877
Fax (701) 764-5648
email gary.wilz@k12.nd.us.

Killdeer Public School

Concussion Management Information Verification

Killdeer Public School is providing the attached concussion management information as required by North Dakota State Law (NDCC 15.1-18.2-04). The statute requires that each student and their parent/guardian shall document that they have viewed information regarding concussions that may be incurred by students participating in athletic activities. This form must be signed and returned to the school prior to the athlete beginning practice. By signing below, the student and their parent are verifying that they have reviewed the concussion information.

I have reviewed the attached concussion management information.

Athlete's Name (Printed)

Parent's Name (Printed)

Athlete's Signature

Parent's Signature

Date

Date

PLEASE RETURN THIS SIGNED VERIFICATION FORM TO YOUR COACH.

**KILLDEER PUBLIC SCHOOL
CONCUSSION FACT SHEET FOR PARENTS**

What is a concussion?

A concussion is a brain injury. Concussions are caused by a bump, blow, or jolt to the head or body. Even or what seems to be a mild bump or blow to the head can be serious.

What are the signs and symptoms?

You can't see a concussion, signs and symptoms of concussions can show up right after the injury or may not appear or be noticed until days after the injury. If your teen reports, one or more symptoms of concussion listed below, or if you notice the symptoms yourself, keep your teen out of play and seek medical attention right away.

| Signs Observed By Parents or Guardians | Symptoms Reported by Athlete |
|--|---|
| <ul style="list-style-type: none"> • Appears dazed or stunned • Is confused about assignment or position • Forgets an instruction • Is unsure of game, score, or opponent • Moves clumsily • Answers questions slowly • Loses consciousness (even briefly) • Shows mood, behavior, or personality changes • Can't recall events prior to hit or fall • Can't recall events after hit or fall | <ul style="list-style-type: none"> • Headache or "pressure" in head • Nausea or vomiting • Balance problems or dizziness • Double or blurry vision • Sensitivity to light or noise • Feeling sluggish, hazy, foggy, or groggy • Concentration or memory problems • Confusion • Just not "feeling right" or is "feeling down" |

How can you help your teen prevent a concussion?

Every sport is different, but there are steps your teens can take to protect themselves from concussions and other injuries.

- Make sure they wear the right protective equipment for their activity. It should fit properly, be well maintained, and be worn consistently and correctly.
- Ensure that they follow their coaches' rules for safety and the rules of the sport.
- Encourage them to practice good sportsmanship at all times.

What should you do if you think your teen has a concussion?

1. **Keep your teen out of play.** If your teen has a concussion, her/his brain needs time to heal. Don't let your teen return to play the day of the injury and until a health care professional, experienced in evaluating for concussion, says your teen is symptom-free and it's OK to return to play. A repeat concussion that occurs before the brain recovers from the first – usually within a short period of time (hours, days, or weeks) – can slow recovery or increase the likelihood of having long-term problems. In rare cases, repeat concussions can result in edema (brain swelling), permanent brain damage, and even death.
2. **Seek medical attention right away.** A health care professional experienced in evaluating for concussions will be able to decide how serious the concussion is and when it is safe for your teen to return to sports.
3. **Teach your teen that it's not smart to play with a concussion.** Rest is key after a concussion. Sometimes athletes wrongly believe that it shows strength and courage to play injured. Discourage others from pressuring injured athletes to play. Don't let your teen convince you that s/he's "just fine".
4. **Tell all of your teen's coaches and the student's school about ANY concussion.** Coaches, school nurses, and other school staff should know if your teen has ever had a concussion. Your teen may need to limit activities while s/he is recovering from a concussion. Things such as studying, driving, working on a computer, playing video games, or exercising may cause concussion symptoms to reappear or get worse. Talk to your health care professional, as well as your teen's coaches, school nurse, and teachers. If needed, they can help adjust your teen's school activities during her/his recovery.

PLEASE RETURN ONLY THE VERIFICATION SIGNATURE FORM TO THE SCHOOL.

**KILLDEER PUBLIC SCHOOL
CONCUSSION FACT SHEET FOR ATHLETES**

What is a concussion?

A concussion is a brain injury that:

- Is caused by a bump, blow, or jolt to the head or body
- Can change the way your brain normally works
- Can occur during practices or games in any sport or recreational activity
- Can happen even if you haven't been knocked out
- Can be serious even if you've just been "dinged" or "had your bell rung"

All concussions are serious. A concussion can affect your ability to do school work and other activities (such as playing video games, working on a computer, studying, driving, or exercising). Most people with a concussion get better, but it is important to give your brain time to heal.

What are the symptoms of a concussion?

You can't see a concussion, but you might notice one or more of the symptoms listed below or that you "don't feel right" soon after, a few days after, or even weeks after the injury.

- Headache or "pressure" in head
- Nausea or vomiting
- Balance problems or dizziness
- Double or blurry vision
- Bothered by light or noise
- Feeling sluggish, hazy, foggy, or groggy
- Difficulty paying attention
- Memory problems
- Confusion

What should I do if I think I have a concussion?

- **Tell your coaches and your parents.** Never ignore a bump or blow to the head even if you feel fine. Also, tell your coach right away if you think you have a concussion or if one of your teammates might have a concussion.
- **Get a medical check-up.** A doctor or other health care professionals can tell you if you have a concussion and when it is OK to return to play.
- **Give yourself time to get better.** If you have a concussion, your brain needs time to heal. While your brain is still healing, you are much more likely to have another concussion. Repeat concussions can increase the time it takes for you to recover and may cause more damage to your brain. It is important to rest and not return to play until you get the OK from your health care professional that you are symptom-free.

How can I prevent a concussion?

Every sport is different, but there are steps you can take to protect yourself.

- Use the proper sports equipment, including personal protective equipment. In order for equipment to protect you, it must be:
 - The right equipment for the game, position, or activity
 - Worn correctly and the correct size and fit
 - Used every time you play or practice
 - Follow your coach's rules for safety and the rules of the sport
 - Practice good sportsmanship at all times

It's better to miss one game than the whole season.

PLEASE RETURN ONLY THE VERIFICATION SIGNATURE FORM TO THE SCHOOL.

